



ELSEVIER

Topology and its Applications 100 (2000) 243–250

TOPOLOGY AND ITS APPLICATIONS

www.elsevier.com/locate/topol

Master Index to Volumes 91–100 *

Aarts, J.M. and F.G.M. Daalderop, Chaotic homeomorphisms on manifolds	96 (1999) 93– 96
Aguilar, M.A. and C. Prieto, Quasifibrations and Bott periodicity	98 (1999) 3– 17
Alleche, B., A.V. Arhangel'skiĭ and J. Calbrix, Weak developments and metrization	100 (2000) 23– 38
Alleche, B. and J. Calbrix, On the coincidence of the upper Kuratowski topology with the cocompact topology	93 (1999) 207–218
Alperin, R.C., W. Dicks and J. Porti, The boundary of the Gieseking tree in hyperbolic three-space	93 (1999) 219–259
Ancel, F.D. and S.B. Nadler Jr., Cones that are cells, and an application to hyperspaces	98 (1999) 19– 33
Andres, J., L. Górniewicz and J. Jezierski, A generalized Nielsen number and multiplicity results for differential inclusions	100 (2000) 193–209
Antonyan, S.A., Extensorial properties of orbit spaces of proper group actions	98 (1999) 35– 46
Ardanza-Trevijano, S. and L.-J. Hernández-Paricio, Fundamental progroupoid and bundles with a structural category	92 (1999) 85– 99
Arhangel'skiĭ, A.V., W. Just, E.A. Reznichenko and P.J. Szeptycki, Sharp bases and weakly uniform bases versus point-countable bases	100 (2000) 39– 46
Arhangel'skiĭ, A.V., see Alleche, B.	100 (2000) 23– 38
Ball, R.N. and A.W. Hager, The relative uniform density of the continuous functions in the Baire functions, and of a divisible Archimedean ℓ -group in any epicompletion	97 (1999) 109–126
Beckenstein, E. and L. Narici, Additive bijections of $C(X)$	98 (1999) 47– 60
Bennett, H.R., D.J. Lutzer and S.D. Purisch, On dense subspaces of generalized ordered spaces	93 (1999) 191–205
Biasi, C., A.K.M. Libardi and O. Saeki, On the Betti number of the union of two generic map images	95 (1999) 31– 46
Bisiaux, L., Depth and Toomer's invariant	97 (1999) 207–215
Blanc, D., CW simplicial resolutions of spaces with an application to loop spaces	100 (2000) 151–175
Bogatyi, S., On a question of Terasawa	93 (1999) 73– 75
Brittenham, M., Essential laminations in Seifert-fibered spaces: Boundary behavior	95 (1999) 47– 62
Brodskij, N.B., see Repovš, D.	94 (1999) 307–314
Brown, R.F. and H. Schirmer, Nielsen theory of roots of maps of pairs	92 (1999) 247–274
Bruin, H., Planar embeddings of inverse limit spaces of unimodal maps	96 (1999) 191–208
Bryant, J.L. and W. Mio, Transversality in generalized manifolds	94 (1999) 7– 12
Buck, G. and J. Simon, Thickness and crossing number of knots	91 (1999) 245–257
Buhagiar, D., T. Miwa and B.A. Pasynkov, On metrizable type (MT^-) maps and spaces	96 (1999) 31– 51
Calbrix, J., see Alleche, B.	93 (1999) 207–218
Calbrix, J., see Alleche, B.	100 (2000) 23– 38
Castillo, P., G. DiCristina and D.W. Hajek, Uniform continuity for all distance spaces	98 (1999) 61– 66

* For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.

- Charatonik, J.J. and W.J. Charatonik, Limit properties of induced mappings 100 (2000) 103–118
- Charatonik, J.J., W.J. Charatonik and A. Illanes, Openness of induced mappings 98 (1999) 67– 80
- Charatonik, W.J., A homogeneous continuum without the property of Kelley 96 (1999) 209–216
- Charatonik, W.J., see Charatonik, J.J. 98 (1999) 67– 80
- Charatonik, W.J., see Charatonik, J.J. 100 (2000) 103–118
- Chigogidze, A., Topological characterization of torus groups 94 (1999) 13– 25
- Chimitza, B., Modules associated to disconnected surfaces by quantization functors 93 (1999) 41– 63
- Chmutov, S. and S. Duzhin, A lower bound for the number of Vassiliev knot invariants 92 (1999) 201–223
- Clark, A., Linear flows on κ -solenoids 94 (1999) 27– 49
- Clifford, A., Compact cores of coverings 97 (1999) 267–271
- Collins, P.J., Extensions of topological spaces with strongly-discrete remainder 91 (1999) 47– 50
- Comfort, W.W., Fourteen questions from the period 1965–1995 97 (1999) 51– 77
- Comfort, W.W. and D. Remus, Correction to “Long chains of topological group topologies—A continuation”, *Topology and its Applications* 75 (1997) 51–79 (Erratum) 96 (1999) 277–278
- Coplakova, E. and K.P. Hart, Crowded rational ultrafilters 97 (1999) 79– 84
- Cuchillo-Ibáñez, E., M.A. Morón, F.R. Ruiz del Portal and J.M.R. Sanjurjo, A topology for the sets of shape morphisms 94 (1999) 51– 60
- Daalderop, F.G.M., see Aarts, J.M. 96 (1999) 93– 96
- Daverman, R.J., Real projective spaces are nonfibrators 94 (1999) 61– 66
- David, E., Scott spaces and sober spaces 100 (2000) 93–101
- Dicks, W., see Alperin, R.C. 93 (1999) 219–259
- DiCristina, G., see Castillo, P. 98 (1999) 61– 66
- Dijkstra, J.J., T.L. Goodsell and D.G. Wright, On compacta with convex projections 94 (1999) 67– 74
- Dikranjan, D., Countably compact groups satisfying the open mapping theorem 98 (1999) 81–129
- Dikranjan, D., M. Tkačenko and V. Tkachuk, Some topological groups with and some without suitable sets 98 (1999) 131–148
- Domínguez, J.M. and J. Gómez Pérez, Intersections of maximal ideals in algebras between $C^*(X)$ and $C(X)$ 98 (1999) 149–165
- Dontchev, J., M. Ganster and D. Rose, Ideal resolvability 93 (1999) 1– 16
- Dontchev, J. and H. Maki, Groups of θ -generalized homeomorphisms and the digital line 95 (1999) 113–128
- Dow, A., A *not too dense* subset of N^* 91 (1999) 79– 85
- Dow, A., What I learned about βX , $C(X)$ and products from Wis Comfort 97 (1999) 11– 30
- Dow, A. and J. Zhou, Two real ultrafilters on ω 97 (1999) 149–154
- Dranishnikov, A.N., Rational homology manifolds and rational resolutions 94 (1999) 75– 86
- Durumeric, O., see Litherland, R.A. 91 (1999) 233–244
- Duzhin, S., see Chmutov, S. 92 (1999) 201–223
- Dydak, J., Covariant and contravariant points of view in topology with applications to function spaces 94 (1999) 87–125
- Dydak, J., S.N. Mishra and R.A. Shukla, On finitistic spaces 97 (1999) 217–229
- Eudave-Muñoz, M., Incompressible surfaces in tunnel number one knot complements 98 (1999) 167–189
- Fabel, P., “Shortest” arcs in closed planar disks vary continuously with the boundary 95 (1999) 75– 83
- Fang, F., Smooth structures on $\Sigma \times R$ 99 (1999) 123–129
- Farrell, F.T., Fibered representations, an open condition 96 (1999) 185–190
- Fedeli, A. and A. Le Donne, Dense embeddings in pathwise connected spaces 96 (1999) 15– 22
- Fedeli, A. and A. Le Donne, On locally connected connectifications 96 (1999) 85– 88
- Fedorchuk, V.V., On a preservation of completeness of uniform spaces by the functor P_τ 91 (1999) 25– 45
- Ferrand, E., Singularities cancellation on wave fronts 95 (1999) 155–163
- Finkelstein, E. and Y. Moriah, Tubed incompressible surfaces in knot and link complements 96 (1999) 153–170

- Finn, R.T., J. Martinez and W.W. McGovern, The separated cellularity of a topological space and finite separation spaces 97 (1999) 165–174
- Fitzpatrick, B. and R.B. Sher, B.J. Ball: An appreciation 94 (1999) 3– 6
- Flagg, B., see Kopperman, R. 91 (1999) 169–180
- Frediani, P., Monodromies of generic real algebraic functions 99 (1999) 67– 97
- Fujii, S. and T. Nogura, Characterizations of compact ordinal spaces via continuous selections 91 (1999) 65– 69
- Galindo, J., see Hernández, S. 97 (1999) 99–108
- Ganster, M., see Dontchev, J. 93 (1999) 1– 16
- García-Ferreira, S., N. Hindman and D. Strauss, Orderings of the Stone–Čech remainder of a discrete semigroup 97 (1999) 127–148
- Gartside, P.M., Monotone normality in products 91 (1999) 181–195
- Gómez Pérez, J., see Domínguez, J.M. 98 (1999) 149–165
- Gómez-Larrañaga, J.C., F. González-Acuña and V.G. Turaev, Homology category of 3-manifolds 95 (1999) 217–228
- Gonçalves, D.L., Coincidence theory for maps from a complex into a manifold 92 (1999) 63– 77
- González-Acuña, F., see Gómez-Larrañaga, J.C. 95 (1999) 217–228
- Goodsell, T.L., see Dijkstra, J.J. 94 (1999) 67– 74
- Gordon, C.McA. and J. Luecke, Toroidal and boundary-reducing Dehn fillings 93 (1999) 77– 90
- Górniewicz, L., see Andres, J. 100 (2000) 193–209
- Grabner, E., G. Grabner and J.E. Vaughan, Nearly metacompact spaces 98 (1999) 191–201
- Grabner, G., see Grabner, E. 98 (1999) 191–201
- Grace, E.E. and E.J. Vought, Hereditarily weakly confluent maps and a characterization of Class *HW* 100 (2000) 211–218
- Grebogi, C., see Kennedy, J. 94 (1999) 207–242
- Guo, J. and P.R. Heath, Coincidence theory on the complement 95 (1999) 229–250
- Haddad, K.N. and A.S.A. Johnson, Recurrent sequences and IP sets 98 (1999) 203–210
- Hager, A.W. and J. van Mill, Introduction (to special issue: In Honor of W.W. Comfort) 97 (1999) 1– 10
- Hager, A.W., see Ball, R.N. 97 (1999) 109–126
- Hajek, D.W., see Castillo, P. 98 (1999) 61– 66
- Hart, E.L. and E.C. Keppelmann, Explorations in Nielsen periodic point theory for the double torus 95 (1999) 1– 30
- Hart, K.P., see Coplakova, E. 97 (1999) 79– 84
- Hayashi, C., Tangles and tubing operations 92 (1999) 191–199
- Heath, P.R., see Guo, J. 95 (1999) 229–250
- Henriksen, M., R. Kopperman, M. Rayburn and A.R. Todd, Oxtoby’s pseudocompleteness revisited 100 (2000) 119–132
- Henriksen, M. and R.G. Woods, Separate versus joint continuity: A tale of four topologies 97 (1999) 175–205
- Hernández, S., J. Galindo and S. Macario, A characterization of the Schur property by means of the Bohr topology 97 (1999) 99–108
- Hernández-Paricio, L.-J., see Ardanza-Trevijano, S. 92 (1999) 85– 99
- Hillman, J.A., Complex surfaces which are fibre bundles 100 (2000) 187–191
- Hindman, N., see García-Ferreira, S. 97 (1999) 127–148
- Hjorth, G., A universal Polish *G*-space 91 (1999) 141–150
- Hodel, R.E. and J.E. Vaughan, Reflection theorems for cardinal functions 100 (2000) 47– 66
- Holá, L., Complete metrizability of generalized compact-open topology 91 (1999) 159–167
- Houston, K., Images of finite maps with one-dimensional double point set 91 (1999) 197–219
- Howards, H.N., Limits of incompressible surfaces 99 (1999) 117–121
- Hughes, B., Stratifications of mapping cylinders 94 (1999) 127–145
- Humphries, S.P., Braid groups, infinite Lie algebras of Cartan type and rings of invariants 95 (1999) 173–205

- Illanes, A., Chainable continua are not C-determined 98 (1999) 211–216
- Illanes, A., see Charatonik, J.J. 98 (1999) 67–80
- Im, S.M. and H.K. Kim, Compact flat manifolds with non-vanishing Stiefel–Whitney classes 96 (1999) 267–276
- Ivanšić, I. and L.R. Rubin, Borsuk’s index and pointed movability for projective movable continua 94 (1999) 147–153
- Járai Jr, A., On the monoid of singular braids 96 (1999) 109–119
- Jaworowski, J., Involutions in lens spaces 94 (1999) 155–162
- Jezierski, J., see Andres, J. 100 (2000) 193–209
- Jiang, S., I. Reilly and S. Wang, Some properties of $S(n)$ - θ -closed spaces 96 (1999) 23–29
- Johnson, A.S.A., see Haddad, K.N. 98 (1999) 203–210
- Johnson, G.G., Chebyshev foam 94 (1999) 163–171
- Just, W., M.V. Matveev and P.J. Szeptycki, Some results on property (a) 100 (2000) 67–83
- Just, W., see Arhangel’skiĭ, A.V. 100 (2000) 39–46
- Kalenda, O., Stegall compact spaces which are not fragmentable 96 (1999) 121–132
- Kato, H. and J.-J. Park, Expansive homeomorphisms of countable compacta 95 (1999) 207–216
- Kawamura, K. and F. Ohtsuka, Total excess and Tits metric for piecewise Riemannian 2-manifolds 94 (1999) 173–193
- Keesling, J., The boundaries of self-similar tiles in \mathbb{R}^n 94 (1999) 195–205
- Kennedy, J., M.A.F. Sanjuan, J.A. Yorke and C. Grebogi, The topology of fluid flow past a sequence of cylinders 94 (1999) 207–242
- Keppelmann, E.C., see Hart, E.L. 95 (1999) 1–30
- Kim, H.K., see Im, S.M. 96 (1999) 267–276
- Kim, Y., Strongly hopfian manifolds as codimension-2 fibrators 92 (1999) 237–245
- Kim, Y., Manifolds with hyperhopfian fundamental group as codimension-2 fibrators 96 (1999) 241–248
- Kombarov, A.P., On F_σ - δ -normality and hereditary δ -normality 91 (1999) 221–226
- Kopperman, R., P. Sünderhauf and B. Flagg, Smyth completion as bicompletion 91 (1999) 169–180
- Kopperman, R., see Henriksen, M. 100 (2000) 119–132
- Korkmaz, M., Automorphisms of complexes of curves on punctured spheres and on punctured tori 95 (1999) 85–111
- Koschorke, U., Complex and real vector bundle monomorphisms 91 (1999) 259–271
- Krzemińska, I. and J.R. Prajs, A non- g -contractible uniformly path connected continuum 91 (1999) 151–158
- Krzemińska, I. and J.R. Prajs, On continua whose hyperspace of subcontinua is σ -locally connected 96 (1999) 53–61
- LaBerge, T., A space with normal countable-to-one regular preimages 91 (1999) 227–232
- Laitinen, E. and T. Matumoto, A gap theorem for Lusternik–Schnirelmann π_1 -category 93 (1999) 35–40
- Le Donne, A., see Fedeli, A. 96 (1999) 15–22
- Le Donne, A., see Fedeli, A. 96 (1999) 85–88
- Levin, M. and J. Segal, A subspace of \mathbb{R}^3 for which $\text{Cmp} \neq \text{def}$ 95 (1999) 165–168
- Libardi, A.K.M., see Biasi, C. 95 (1999) 31–46
- Lima-Filho, P., Algebraic families of E_∞ -spectra 98 (1999) 217–233
- Litherland, R.A., J. Simon, O. Durumeric and E. Rawdon, Thickness of knots 91 (1999) 233–244
- Luecke, J., see Gordon, C.McA. 93 (1999) 77–90
- Lustig, M. and Y. Moriah, Closed incompressible surfaces in complements of wide knots and links 92 (1999) 1–13
- Lutzer, D.J., see Bennett, H.R. 93 (1999) 191–205
- Macario, S., see Hernández, S. 97 (1999) 99–108
- Macías, S., On symmetric products of continua 92 (1999) 173–182
- Magill, Jr., K.D., Homomorphisms of nearings of continuous functions from topological spaces into the asymmetric nearring 95 (1999) 257–272

- Mahavier, W.S., Continua with only two topologically different subcontinua 94 (1999) 243–252
- Maher, J., Virtually embedded boundary slopes 95 (1999) 63–74
- Maki, H., see Dontchev, J. 95 (1999) 113–128
- Mardešić, S., Coherent homotopy and localization 94 (1999) 253–274
- Martinez, J., see Finn, R.T. 97 (1999) 165–174
- Matsumoto, S., Separability criterion for graph-manifold groups 93 (1999) 17–33
- Matumoto, T., see Laitinen, E. 93 (1999) 35–40
- Matveev, M.V., O.I. Pavlov and J.K. Tartir, On relatively normal spaces, relatively regular spaces, and on relative property (a) 93 (1999) 121–129
- Matveev, M.V., see Just, W. 100 (2000) 67–83
- Mayer, K.H., Nonimmersion theorems for Grassmann manifolds 96 (1999) 171–184
- McCarthy, J.D. and A. Papadopoulos, The mapping class group and a theorem of Masur–Wolf 96 (1999) 75–84
- McCluskey, A.E., T.B.M. McMaster and W.S. Watson, Representing set-inclusion by embeddability (among the subspaces of the real line) 96 (1999) 89–92
- McGovern, W.W., see Finn, R.T. 97 (1999) 165–174
- McMaster, T.B.M., see McCluskey, A.E. 96 (1999) 89–92
- Meier, J., H. Meinert and L. VanWyk, The Σ^2 -invariants for graph products of indicable groups 99 (1999) 41–65
- Meinert, H., see Meier, J. 99 (1999) 41–65
- Michael, E., Partition-complete paracompact k -spaces are preserved by closed maps 96 (1999) 63–73
- Minc, P., A self-map of a tree-like continuum with no invariant indecomposable subcontinuum 98 (1999) 235–240
- Mio, W., see Bryant, J.L. 94 (1999) 7–12
- Mishra, S.N., see Dydak, J. 97 (1999) 217–229
- Miwa, T., see Buhagiar, D. 96 (1999) 31–51
- Miyata, T. and J. Segal, Generalized stable shape and Brown’s representation theorem 94 (1999) 275–305
- Miyazaki, K. and K. Motegi, Toroidal and annular Dehn surgeries of solid tori 93 (1999) 173–178
- Moriah, Y., see Finkelstein, E. 96 (1999) 153–170
- Moriah, Y., see Lustig, M. 92 (1999) 1–13
- Morishita, K., On spaces that are l -equivalent to a disk 99 (1999) 111–115
- Morón, M.A. and F.R. Ruiz del Portal, On weak shape equivalences 92 (1999) 225–236
- Morón, M.A., see Cuchillo-Ibáñez, E. 94 (1999) 51–60
- Morton, H.R., The Burau matrix and Fiedler’s invariant for a closed braid 95 (1999) 251–256
- Motegi, K., see Miyazaki, K. 93 (1999) 173–178
- Motohashi, T., Prime decompositions of a θ_n -curve in S^3 93 (1999) 161–172
- Myers, R., Contractible open 3-manifolds with free covering translation groups 96 (1999) 97–108
- Nadler Jr., S.B., see Ancel, F.D. 98 (1999) 19–33
- Nagata, J., Remarks on metrizability and generalized metric spaces 91 (1999) 71–77
- Narici, L., see Beckenstein, E. 98 (1999) 47–60
- Neumann, F., Torsion in the cohomology of finite loop spaces and the Eilenberg–Moore spectral sequence 100 (2000) 133–150
- Neumann-Lara, V. and I. Puga, Shore points and noncut points in dendroids 92 (1999) 183–190
- Nogura, T., see Fujii, S. 91 (1999) 65–69
- Nowik, T., Intersection of surfaces in 3-manifolds 92 (1999) 15–61
- Nucinkis, B.E.A., Cohomology relative to a G -set and finiteness conditions 92 (1999) 153–171
- Núñez, V., On the Heegaard genus and tri-genus of non-orientable Seifert 3-manifolds 98 (1999) 241–267
- Nyikos, P.J., On some non-Archimedean spaces of Alexandroff and Urysohn 91 (1999) 1–23
- Nyikos, P.J., Metrizability, monotone normality, and other strong properties in trees 98 (1999) 269–290
- Ohtsuka, F., see Kawamura, K. 94 (1999) 173–193
- Ohtsuki, T., How to construct ideal points of $SL_2(\mathbb{C})$ representation spaces of knot groups 93 (1999) 131–159

- Papadopoulos, A., see McCarthy, J.D. 96 (1999) 75–84
- Park, J.-J., see Kato, H. 95 (1999) 207–216
- Pasynkov, B.A., see Buhagiar, D. 96 (1999) 31–51
- Pavlov, O.I., see Matveev, M.V. 93 (1999) 121–129
- Perron, B. and P. Shalen, Homeomorphic graph manifolds: A contribution to the μ constant problem 99 (1999) 1–39
- Pestov, V. and K. Yamada, Free topological groups on metrizable spaces and inductive limits 98 (1999) 291–301
- Pilyugin, S.Yu. and O.B. Plamenevskaya, Shadowing is generic 97 (1999) 253–266
- Plamenevskaya, O.B., see Pilyugin, S.Yu. 97 (1999) 253–266
- Porti, J., see Alperin, R.C. 93 (1999) 219–259
- Prajs, J.R. and A. Swól, On continua comparable with all continua 98 (1999) 303–310
- Prajs, J.R., see Krzemińska, I. 91 (1999) 151–158
- Prajs, J.R., see Krzemińska, I. 96 (1999) 53–61
- Prieto, C., see Aguilar, M.A. 98 (1999) 3–17
- Puga, I., see Neumann-Lara, V. 92 (1999) 183–190
- Pulte, M. and A.W. Schurle, A shrinkability criterion for complete metric spaces 93 (1999) 113–120
- Purisch, S.D., see Bennett, H.R. 93 (1999) 191–205
- Qiu, R. and Y. Zhang, ∂ -reducible Dehn surgery and annular Dehn surgery 92 (1999) 79–84
- Rawdon, E., see Litherland, R.A. 91 (1999) 233–244
- Rayburn, M., see Henriksen, M. 100 (2000) 119–132
- Reilly, I., see Jiang, S. 96 (1999) 23–29
- Remus, D., The rôle of W. Wistar Comfort in the theory of topological groups 97 (1999) 31–49
- Remus, D. and F.J. Trigos-Arrieta, The Bohr topology of Moore groups 97 (1999) 85–98
- Remus, D., see Comfort, W.W. 96 (1999) 277–278
- Render, H., On the property (db) for continuous function spaces 92 (1999) 101–106
- Repovš, D., N.B. Brodskij and A.B. Skopenkov, A classification of 3-thickenings of 2-polyhedra 94 (1999) 307–314
- Reznichenko, E.A., see Arhangel'skiĭ, A.V. 100 (2000) 39–46
- Romaguera, S. and M. Schellekens, Quasi-metric properties of complexity spaces 98 (1999) 311–322
- Rose, D., see Dontchev, J. 93 (1999) 1–16
- Roushon, S.K., Surgery groups of submanifolds of \mathbb{S}^3 100 (2000) 223–227
- Roy, R., A counterexample to questions on the integrality property of virtual signature 100 (2000) 177–185
- Ruane, K.E., Boundaries of $CAT(0)$ groups of the form $\Gamma = G \times H$ 92 (1999) 131–151
- Rubin, L.R., see Ivanšić, I. 94 (1999) 147–153
- Ruiz del Portal, F.R., see Cuchillo-Ibáñez, E. 94 (1999) 51–60
- Ruiz del Portal, F.R., see Morón, M.A. 92 (1999) 225–236
- Rupp, R., Zerofree extension of continuous functions on a compact Hausdorff space 93 (1999) 65–71
- Saeki, O., see Biasi, C. 95 (1999) 31–46
- Sakai, K. and S. Uehara, A Hilbert cube compactification of the Banach space of continuous functions 92 (1999) 107–118
- Sanchis, M. and A. Tamariz-Mascarúa, p -pseudocompactness and related topics in topological spaces 98 (1999) 323–343
- Sanjuan, M.A.F., see Kennedy, J. 94 (1999) 207–242
- Sanjurjo, J.M.R., see Cuchillo-Ibáñez, E. 94 (1999) 51–60
- Sawollek, J., Alternating diagrams of 4-regular graphs in 3-space 93 (1999) 261–273
- Schellekens, M., see Romaguera, S. 98 (1999) 311–322
- Schirmer, H., see Brown, R.F. 92 (1999) 247–274
- Schultens, J., Weakly reducible Heegaard splittings of Seifert fibered spaces 100 (2000) 219–222
- Schurle, A.W., see Pulte, M. 93 (1999) 113–120
- Seaquist, C.R., Monotone open homogeneity of Sierpiński curve 93 (1999) 91–112

- Segal, J., see Levin, M. 95 (1999) 165–168
 Segal, J., see Miyata, T. 94 (1999) 275–305
 Shakhmatov, D., A comparative survey of selected results and open problems concerning topological groups, fields and vector spaces 91 (1999) 51–63
 Shalen, P., see Perron, B. 99 (1999) 1–39
 Shelah, S., Special subsets of ${}^{cf(\mu)}\mu$, Boolean algebras and Maharam measure algebras 99 (1999) 135–235
 Sher, R.B., see Fitzpatrick, B. 94 (1999) 3–6
 Shibakov, A., Countable Fréchet topological groups under CH 91 (1999) 119–139
 Shibakov, A., Closed maps on spaces with point-countable bases 96 (1999) 1–14
 Shimokawa, K., Hyperbolicity and ∂ -irreducibility of alternating tangles 96 (1999) 217–239
 Shimomura, K., The Adams–Novikov E_2 -term for computing $\pi_*(L_2 V(0))$ at the prime 2 96 (1999) 133–152
 Shukla, R.A., see Dydak, J. 97 (1999) 217–229
 Simon, J., see Buck, G. 91 (1999) 245–257
 Simon, J., see Litherland, R.A. 91 (1999) 233–244
 Skopenkov, A.B., see Repovš, D. 94 (1999) 307–314
 Strauss, D., see García-Ferreira, S. 97 (1999) 127–148
 Sünderhauf, P., see Kopperman, R. 91 (1999) 169–180
 Swardson, M.A., Realcompact subspaces of size ω_1 100 (2000) 85–90
 Swól, A., see Prajs, J.R. 98 (1999) 303–310
 Szeptycki, P.J., see Arhangel'skiĭ, A.V. 100 (2000) 39–46
 Szeptycki, P.J., see Just, W. 100 (2000) 67–83
- Takeuchi, Y. and M. Yokoyama, The geometric realizations of the decompositions of 3-orbifold fundamental groups 95 (1999) 129–153
 Tamariz-Mascarúa, A., see Sanchis, M. 98 (1999) 323–343
 Tartir, J.K., see Matveev, M.V. 93 (1999) 121–129
 Théret, D., A complete proof of Viterbo's uniqueness theorem on generating functions 96 (1999) 249–266
 Thompson, A., The disjoint curve property and genus 2 manifolds 97 (1999) 273–279
 Tibăr, M., Monodromy of functions on isolated cyclic quotients 97 (1999) 231–251
 Tkačenko, M., see Dikranjan, D. 98 (1999) 131–148
 Tkachuk, V., see Dikranjan, D. 98 (1999) 131–148
 Todd, A.R., see Henriksen, M. 100 (2000) 119–132
 Tomita, A.H., A group under $MA_{\text{countable}}$ whose square is countably compact but whose cube is not 91 (1999) 91–104
 Tomita, A.H., On the number of countably compact group topologies on a free Abelian group 98 (1999) 345–353
 Torisu, I., On nugatory crossings for knots 92 (1999) 119–129
 Trigoso-Arrieta, F.J., see Remus, D. 97 (1999) 85–98
 Troallic, J.P., Equicontinuity, uniform continuity and sequences in topological groups 93 (1999) 179–190
 Turaev, V.G., see Gómez-Larrañaga, J.C. 95 (1999) 217–228
- Uehara, S., see Sakai, K. 92 (1999) 107–118
- Valdez Sánchez, L.G., Dehn fillings of 3-manifolds and non-persistent tori 98 (1999) 355–370
 van Mill, J., Easier proofs of coloring theorems 97 (1999) 155–163
 van Mill, J., see Hager, A.W. 97 (1999) 1–10
 VanWyk, L., see Meier, J. 99 (1999) 41–65
 Vaughan, J.E., see Grabner, E. 98 (1999) 191–201
 Vaughan, J.E., see Hodel, R.E. 100 (2000) 47–66
 Vought, E.J., see Grace, E.E. 100 (2000) 211–218
- Wang, S., see Jiang, S. 96 (1999) 23–29
 Watson, S., The classification of metrics and multivariate statistical analysis 99 (1999) 237–261

- Watson, W.S., see McCluskey, A.E. 96 (1999) 89–92
 Wicke, H., Not all realcompact spaces are ultrapure 91 (1999) 87–90
 Witbooi, P.J., Excisive triads and double mapping cylinders 95 (1999) 169–172
 Witbooi, P.J., Globalizing weak homotopy equivalences 100 (2000) 229–240
 Woods, R.G., see Henriksen, M. 97 (1999) 175–205
 Worrell Jr, J.M., Some remarks on the career of Howard H. Wicke and our work together 100 (2000) 3–22
 Wright, D.G., see Dijkstra, J.J. 94 (1999) 67–74
- Yamada, K., see Pestov, V. 98 (1999) 291–301
 Ye, X., On inverse limit spaces of maps of an interval with zero entropy 91 (1999) 105–118
 Yokoyama, M., see Takeuchi, Y. 95 (1999) 129–153
 Yokura, S., On a Verdier-type Riemann–Roch for Chern–Schwartz–MacPherson class 94 (1999) 315–327
 Yorke, J.A., see Kennedy, J. 94 (1999) 207–242
- Zhang, X., Dehn filling with non-degenerate boundary slope rows 99 (1999) 99–110
 Zhang, Y., see Qiu, R. 92 (1999) 79–84
 Zhou, J., see Dow, A. 97 (1999) 149–154